SAFETYHEALTH AND

DO NOT WRITE BELOW THIS LINE

ENVIRONMENTAL AFFAIRS

Yellow

TSDF SENDS IHIS COPY TO GENERATOR WITHIN 30 DAYS.
Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

DTSC 8022A (1/99)

EPA 8700-22

13004 Bin # 180000 WT 4/850. 128090 SALCO PUBLIC SCALE
19204 S. FIGUEROA STREET WEIGHMASTER CERTIFICATE THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture. GARDENA, CA 90248 (310) 352-4483 • FAX (310) 532-2841 Weighed for: Delivered to: DRIVER CARRIER B L NO. PD 🗷 FEE CHG 🖂 WEIGHT IN LBS. TIME DATE WYCKOFF, INC. WEIGHMASTER BY GROSS > Weighed at: 19204 S. FIGUEROA STREET Date:05/31/01 Time: 10:18 AM GARDENA, CALIFORNIA 90248 5818(Ab ΒY TARE VEHICLE LICENSE NUMBERS Dale:05/30/01 Time: 2117 PM TRAILER TRAILER 23160Lb COMMODITY MARK UNITS NET DRIVER - COPY

THE B EIN G COMPANY

LC G BE CH DIVISION

3855 L EWC D BOULEVARD

LO G BE CH. CA 90846

562- 3-4325

W IGH TICKET

VENDOR:	GRC SWEIC IT (HI (TR: K. BII: S) ANI	EAVY WEIGHT):	+	58/80
ECL		, p	_	30100
	TRU KTAR (LIGE TRU K#:	IT WEIGHT):	-	23160
	FIRE BIN BIN RE (E. PTY) BIN# 1-20-0 TRACKUT#: L DR-1367-	060	-	4,850
con ents:	SEC ID BII BIN RE (E PTY I BIN/ TRA IT#:	WEIGHT):	-	
DISF )SAL FACILITY:	NET EIGH OF THE V	TE LUAD.	T O T A	30/70
2087971 X			<u> </u>	A ENTER THIS WEIGHT ON THE MANIFEST OR SHIPPING PAPERS
COM JENTS:				
DMH VEIGHTTICKETC30100				
NAM : Y/ OVCia	THE WILL S	lefold 1	TIME:	118 DATE: 31/01
- Waran	7110	11		

## See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

or type. Form designed for use on elite (12-pit							Sacramento, Califo	rnia
UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's USAPA ID No.	4.5	est Document	No.	2. Page 1		n in the shaded are ired by Federal lav	
* * * * * * * * * * * * * * * * * * * *	C A D 0 8 6 5 1 0 0 0	157	9 7	1 18	of 🐴	M6276 NOORO (1507)		15000000
. Generator's Name and Mailing Address				A. State M	anifest Document 1	Number /**	20879	74
Douglas Aircraft Co., C6, Ms							.U013	l d.
1955 Lakewood Blvd. Long Beac	th CA 90848				enerator's ID			
. Generator's Phone (		4.5			AHOJ		19898	
. Transporter 1 Company Name	6. ÙS EPA ID Number			C. State Tr	ansporter's ID <u>[Res</u>	erved.]		
	John Jane Lander Land	c i asse i alee i asse	1 .63 155009 124504	D. Transpo	orter's Phone			
Ecology Control Industries	<u> </u>	<u> </u>	1 / 3	F 60 1 F		(310	<u>) 320- 25</u> 1	513
. Transporter 2 Company Name	8. US EPA ID Number	r	*.	E. State In	ansporter's ID <u>[Res</u>	ervea.		
				F. Transpo	rter's Phone	10		
Designated Facility Name and Site Address	10. US EPA ID Number	r		G. State Fo	pcility's ID			
hemical Waste Management		Ç <sub>i</sub> v				4 1	1 1 1 1 1	
5251 Cat Skyline Rd.				H. Facility	's Phone	4		
ettlemen Cay, CA 95239	CATODO	KAK	4 4 7			1559	1386-971	4
. US DOT Description (including Proper Shippi		BAT TY BAT	12. Con	tainers	13. Total	14. Unit		
	ing Name, Flazara Class, and iD Number)	- 9	No.	Туре	Quantity	Wt/Vol	1. Waste Numb	er
a. RO Hazardons waste solid n	os (Chromium), 9 NA3077 PG	di)					State	
(136/07)	in the second se		[	and the same	2 N 1 7m	gang	EPA/Other	
		19 19 31 1	UUI	V M	301/10	Jan		114
<b>b</b> .							State	
						1/2	EPA/Other	
							1.7,0,5,0,0	
<b>c.</b>		, i				*	State	
		1				4	EPA/Other	
							EPA/Omer	
d.							State	
						Mer.		
1 1 1 1 2 C	0-060	48					EPA/Other	
Additional Descriptions for Materials Listed Ab				K Handlis	ng Codes for Waste	s Listed Δho	we	
				a.		Ь.		
a Profile aumbier EALISA, Concrete	imprograted with divoration							
				c.		d.		
. Special Handling Instructions and Additional	Information	- J				3		
					De Constitution			
Hou Emergency Telephone Number				RC#11a		\$	100	
and Address: 19503 South Normand	ie Ave. Foltance, CA 90502	· · · · · · · · · · · · · · · · · · ·	20 cat)	ic yard re	all off bin			
. GENERATOR'S CERTIFICATION: I hereby de	actions that the contents of this	۔ ۔ لے کائے بہال کی	uratalı. d 1	and observed	v propos shii-	ome and a	o classifical -2-1	1
marked, and labeled, and are in all respect	eclare that the contents of this consignment are s in proper condition for transport by highway	y according t	o applicable i	nternational	y proper snipping i and national gove	rume and ar rument regu	e ciassifiea, packed lations	۱,
		1				4		- 1 ./ .
If I am a large quantity generator, I certify	that I have a program in place to reduce the cticable method of treatment, storage, or disp	volume and	toxicity of wa	ste generate me which ~	ed to the degree I	have determ	nined to be econome threat to human	nically healt
and the environment, OR, if I am a small qu	vantity generator, I have made a good faith	effort to mini	mize my wast	e generation	and select the be	st waste ma	nagement method	that i
available to me and that I can afford.	132	-	- 1 - J	<i>i</i>	<u> </u>			
nted/Typed Name	Signature	1	n(l)a $Ul$	<u> </u>		Mo	nth Day	Ye I⊿*
WILLIAM WART		W. Way	AXX 14	1			<u> </u>	U
Transporter 1 Acknowledgement of Receipt on the Acknowledgement of Receipt of the Acknowledgement of	of Materials Signature	7	- 1	1		Mo	nth Day	Ye
JOE ALVARA	Ognatore	4, ,	entropic in	¥		Mo	C   - 1	1
. Transporter 2 Acknowledgement of Receipt of	of Materials	1000			<u>and the second of the second </u>		<u> </u>	-
nted/Typed Name	Signature					Мо	nth Day	Ye
1		4						
Discrepancy Indication Space		- 13 				<u></u>		L
						\$		
						4		
Facility Owner or Operator Certification of r	eceipt of hazardous materials covered by this	manifest exc	ept as noted in	n Item 19		188 (188 (188 (188 (188 (188 (188 (188		
inted/Typed Name	Signature	7,0,10				Мо	nth Day	Ye
		26/*				146	1. 1	

DO NOT WRITE BELOW THIS LINE.

Z

208797 CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA,

PUND DISLOSAT VALISTICATION VOID CENTIFICATION LONG (SAN 4/05/99

Generator Name:

Douglas Aircraft Company

Manifest Dec. No.:

State Manifest No:

Profile Number:

1. Is this waste a non-wastewater or wastcwater? (See 40 CFR 268.2) Cheek ONE: Nonwastewater X Wostewater 1. Is this waste a non-wastewater of wastewater (see w) CFR 258.2) Check that is defined by 40 CFR 261. For each waste science, identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Spent solvent treatment standards are listed on the following page. If F039, multi-source leachate applies, those constituents must be listed and attached by the generator. If D001-D043 requires treatment of the characteristic and meet 268.49 standards, then the underlying hazardous constituent(8) present in the waste must be listed and attached.

BE MANAGED?		HARARDOUS ENTER THE SUBCATEGORY DESCRIPTION.		REF
ENTER LETTER FROM BELOW	NONE	CCDE(S)  DESCRIPTION	CODE(S)	*
<u> </u>	x	2007	5007	
		2		2
		3		3
				4
	M-2005	o identify F039 or E001-D043, underlying hazardous constituent(s), use the F039/Underlying agrardous Constituent Form" provided (CMM-2004) and check here:  f no UMCs are present in the waste upon its initial generation check here: X  o list additional USEFA waste code(s) and subcategorie(s), use the supplemental sheet provided (CMM-2004)	ardous Constill	Haz

HOW MOST THE WASTE BE MANAGED? In column 5 above, enter the letter (A, B1, B3, B4, C, D or E) below that describes how the waste must be managed to comply with the land disposal regulations (4) CFR 158.7). Please understand that if you enterthe letter B1, B3, B4 or D, you are making the appropriate certification as provided below. (States authorized by EPA to manage the LDR program may have regulatory citations different from the 40 CFR citations listed below. Where these regulatory citations differ, your certification will be deemed to refer to those state citations instead of the 40 CFR citations.

RESTRICTED WASTE REQUIRES TREATMENT

This waste must be treated to the applicable treatment standards set forth in 40 CFR 258.40.

For Hazardous Cepris. "This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45."

8.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information. I believe that the creatment process has been operated and maintained properly so as to comply with the treatment standards specified in 40 CFR 258.40 without impermissible dilution of the prehibited wasts. ( im aware there are significant penalties for submitting a false certification.

including the pessibility of fine and imprisonment."

B.2 (Certification removed by Phase IV.)

B.3 GOOD FAITH ANALYTICAL CERTIFICATION FOR INCINERATED ORGANICS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information. I believe that the nonwastewater organic constituents have been treated by combustion in units as specified in 258.42 Table 1. I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant pensities for submitting a false certification, including the possibility of fine and imprisonment.

8.4 DECTARACTERIZED WASTE REQUIRES TREATMENT FOR UNDERLYING HAZAROOUS CONSTITUENTS

I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.40 to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents that require further treatment to meet universal treatment standards. I am aware that there are significant penalties for submitting a folse certification, including the possibility of fine and imprisonment."
RESTRICTED WASTE SUBJECT TO A VARIANCE
This waste is subject to a national corneity variance, a treatability variance, or a case-by-case extension. Enter the

This waste is subject to a national expectly variance, a treatability variance, or a case-by-case extension, where is effective date of prohibition in column 5 above. For Hazardous Debris: "This hazardous debris is subject to the alternative treatment standards of 40 CPR Part 268.45." RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT.

"I certify under penalty of law I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards opecified in 40 CPR Part 268 Subpart D. I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

WASTE IS NOT CURRENTLY SUBJECT TO PART 268 RESTRICTIONS

This waste is a newly identified waste that is not currently subject to any 40 CFR Port 268 restrictions.

I hereby e	ereify that all informa	tion submitted in this	and all associated documents is	a complete s	nd accurate, to the
peac or my	Kutharidas and Informac	16g. A A	_		
Signature	Marcia	hall ricie	Inc 08/98- Form/C-M-2005-C	Date C	5/31/01
	1, ' 1990 Chem	ICAL Waste Management ,	Inc 08/98- Form C-M-2005-C	$\cup$	
		(10)	V		

## SOLVENT .

along with a constituent hazardous constituent	etituent(s) muet als	so be attached.  Solvent Waste Treatmen	IT STANDARDS	
vent cons	n FOOS spent acl- tuents and their USEPA hazardous	Treatment Standard  Wastewaters   Nonwastewaters	F001 through F005 spent solvent constituents and their associated USEPA nazardous vaste code(8).	Treatment Standard Wastewaters   Nonvascewaters

All apent so went treatment standards are measured through a total waste analysis (TCA), unless otherwise noted. Wastewater units are m 1. nonwastewater are mg/kg.

For contaminated soils using the alternative soil treatment standards, the treatment standards for F001-F005 spent solvents must be a 900 reduction of constituents or less than 10 x the standards listed.

## SUBCATEGORY REFERENCE

A. Egnicabl characteristic wastes, except for the 40 CFR 261.21(a)(1) High TOC subcategory.

B. High TOC subcategory cased on 40 CFR 261.21(a)(1) - Greater than or equal to 10% total organic orben.

1990 Chemical Woste Management , Inc. - 08/98 - Form CWM-2005-C